

# **Applied Radiation and Isotopes**

**Volume 56, 2002**

**List of Contents, Author, and Subject Indexes**



**PERGAMON**

PII: S0969-8043(02)00288-9

## APPLIED RADIATION AND ISOTOPES

### EDITORS-IN-CHIEF

B. M. COURSEY

Ionizing Radiation Division, Building 245, C229,  
RADP, National Institute of Standards and  
Technology, 100 Bureau Drive,  
Gaithersburg, MD 20899-8460, U.S.A.  
Fax: +1 301 869 7682  
E-mail: pamela.hodge@nist.gov

D. M. TAYLOR

Cardiff University, Department of Chemistry,  
c/o 17 Pant Poeth, Bridgend CF31 5BD  
Wales, U.K.  
Fax: +44 1656 647 911  
E-mail: davtay@globalnet.co.uk

### EDITORS

- J. CSIKAI, *Institute of Experimental Physics, University of Debrecen, Pf. 81, 4010 Debrecen, Hungary. E-mail: csikai@delfin.klte.hu*
- J. J. M. DE GOEIJ, *Delft University of Technology, Interfaculty Reactor Institute, Mekelweg 15, 2629 JB Delft, The Netherlands. E-mail: j.j.m.deGoeij@IRI.TU.Delft.nl*
- F. F. KNAPP, *Science and Technology Division, Mail Stop 6229, Building 4501, Oak Ridge National Laboratory, P.O. Box 2008, Oak Ridge, TN 37831-6229, U.S.A. E-mail: jkp@ornl.gov*
- A. KUDO, *Research Reactor Institute, University of Kyoto, Kyoto, Japan. E-mail: kudo@rri.kyoto-u.ac.jp*
- P. MITCHELL, *Department of Experimental Physics, National University of Ireland, Dublin (NUID), Belfield, Dublin 4, Republic of Ireland. E-mail: peter.mitchell@ucd.ie*
- V. NAGY, *Ionizing Radiation Division, Building 245, C229, RADP, National Institute of Standards and Technology, 100 Bureau Drive, Gaithersburg, MD 20899-8460, U.S.A. E-mail: vitaly.nagy@nist.gov*
- V. W. PIKE, *Molecular Imaging Branch, National Institute of Mental Health, Building 1, Room B3-10, 1 Center Drive, Bethesda, MD 20892-0135, U.S.A. E-mail: victor.pike@nih.gov*
- M. RIVARD, *Department of Radiation Oncology, Tufts New England Medical Center, Tufts University School of Medicine, 750 Washington Street, #246, Boston, MA 02111, U.S.A. E-mail: mrivard@lifespan.org*
- R. SCHNEIDER, *Mail Stop 8, Geology and Geophysics Department, Woods Hole Oceanographic Institution, Woods Hole, MA 02543-1539, U.S.A. E-mail: rschneider@whoi.edu*
- J. S. SCHWEITZER, *41 Silver Hill Road, Ridgefield, CT 06877, U.S.A. E-mail: schweitz@phys.uconn.edu*
- B. SOWERBY, *Program Manager, Process, Design & Optimisation, CSIRO Minerals, PMB5, Menai, NSW 2234, Australia. E-mail: brian.sowerby@minerals.csiro.au*
- T. TOMINAGA, *Department of Chemistry, Faculty of Science, University of Tokyo, Bunkyo-ku, Tokyo, Japan*
- L. I. WIEBE, *Faculty of Pharmacy and Pharmaceutical Sciences, 3118 Pharmacy Center, University of Alberta, Edmonton, Canada T6G 2N8. E-mail: leonard.wiebe@ualberta.ca*

© 2002 Elsevier Science Ltd. All rights reserved.

### Author enquiries

For enquiries relating to the submission of articles (including electronic submission where available) please visit the Author Gateway from Elsevier Science at <http://authors.elsevier.com>. The Author Gateway also provides the facility to track accepted articles and set up e-mail alerts to inform you of when an article's status has changed, as well as detailed artwork guidelines, copyright information, frequently asked questions and more.

Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided after registration of an article for publication.

**Frequency:** Published monthly in 2 volumes of 6 issues

**Publication information:** Applied Radiation and Isotopes (ISSN 0969-8043). For 2002, volumes 56-57 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (<http://www.elsevier.com/locate/apradiso>). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (<http://www.elsevier.com>). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

**Orders, claims, and product enquiries:** please contact the Customer Support Department at the Regional Sales Office nearest you: New York: Elsevier Science, PO Box 945, New York, NY 10159-0945, USA; phone: (+1) (212) 633 3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633 3680; e-mail: [usinfo-f@elsevier.com](mailto:usinfo-f@elsevier.com)

**Amsterdam:** Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: [nlinfo-f@elsevier.com](mailto:nlinfo-f@elsevier.com)

**Tokyo:** Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: [info@elsevier.co.jp](mailto:info@elsevier.co.jp)

**Singapore:** Elsevier Science, 3 Killiney Road, #08-01 Winsland House I, Singapore 239519; phone: (+65) 6349-0200; fax: (+65) 6733 1510; e-mail: [asianfo@elsevier.com.sg](mailto:asianfo@elsevier.com.sg)

**Rio de Janeiro:** Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: [elsevier@campus.com.br](mailto:elsevier@campus.com.br) [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

**USA mailing notice:** Applied Radiation and Isotopes (ISSN 0969-8043) is published monthly in 2 volumes of 6 issues by Elsevier Science Ltd. (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US\$ 2224 (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.

**USA POSTMASTER:** Send address changes to Applied Radiation and Isotopes, Publications Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.

**AIRFREIGHT AND MAILING** in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

## CONTENTS OF VOLUME 56

### Numbers 1 and 2

#### Proceedings of the Conference on Radionuclide Metrology and its Applications, ICRM'2001

##### Obituary

- |                                    |   |                    |
|------------------------------------|---|--------------------|
| B. M. Coursey and W. L. McLaughlin | 1 | Wilfrid Basil Mann |
| B. M. Coursey                      | 3 | Preface            |

##### Aspects of International Metrology

- |   |    |   |
|---|----|---|
| B. M. Coursey, R. Collé and J. S. Coursey | 5  | Standards of radium-226: from Marie Curie to the International Committee for Radionuclide Metrology |
| C. Michotte                               | 15 | Efficiency curve of the ionization chamber of the SIR   |

##### Source Preparation Techniques

- |  |    |  |
|--|----|--|
| V. Tsoukho-Sitnikov, J. L. Picolo,<br>M. Carrier, S. Peulon and G. Moutard                 | 21 | A novel method for large-area sources preparation for the calibration of $\beta$ - and $\alpha$ -contamination monitors      |
| A. Martín Sánchez, M. J. Nuevo Sánchez,<br>M. P. Rubio Montero and A. Méndez Vilas         | 31 | Study of inhomogeneities in sources prepared for $\alpha$ -particle spectrometry using scanning probe microscopy             |
| I. A. Kharitonov, M. A. Rasko,<br>S. V. Sepman, E. E. Terechtchenko<br>and A. M. Hejdelman | 37 | A source for measurement of the absolute intensities of $^{226}\text{Ra}$ gamma-radiation in equilibrium with decay products |
| A. G. Espartero, J. A. Suárez, M. Rodríguez<br>and G. Piña                                 | 41 | Radiochemical analysis of $^{93}\text{Zr}$   |
| G. L. Cerutti and F. A. Iglicki  | 47 | Development of simulated-gas standards   |

##### Alpha Spectrometry

- |  |     |   |
|--|-----|---|
| A. Martín Sánchez, A. Fernández Timón<br>and M. P. Rubio Montero   | 51  | The effect of energy losses in $\alpha$ -particle sources on the shape of peaks in spectra obtained with wide-angle geometry        |
| Zhichao Lin, Anna Berne, Beth Cummings,<br>James J. Filliben and K. G. W. Inn  | 57  | Competence of alpha spectrometry analysis algorithms used to resolve the $^{241}\text{Am}$ and $^{243}\text{Am}$ alpha peak overlap |
| J. C. Hardy, V. E. Iacob, M. Sanchez-Vega,<br>R. T. Effinger, P. Lipnik, V. E. Mayes,<br>D. K. Willis and R. G. Helmer | 65  | Precise efficiency calibration of an HPGe detector: source measurements and Monte Carlo calculations with sub-percent precision     |
| O. Sima and D. Arnold  | 71  | Transfer of the efficiency calibration of Germanium gamma-ray detectors using the GESPECOR software                                 |
| M. Korun   | 77  | Measurement of the average path length of gamma-rays in samples using scattered radiation   |
| Jean Morel, DeLynn Clark and ESARDA<br>WG-NDA Members  | 85  | Influence of nuclear data on uranium enrichment results obtained by $\text{XK}_2$ spectral region analysis                          |
| N. Reguigui, J. Morel, H. Ben Kraiem<br>and A. Mahjoub   | 93  | Characterization of three digital signal processor systems used in gamma ray spectrometry   |
| T. Vidmar and A. Likar   | 99  | Automated construction of detector models for efficiency interpolation in gamma-ray spectrometry                                    |
| Mauro S. Dias, Mauro N. Takeda<br>and Marina F. Koskinas   | 105 | Cascade summing corrections for HPGe spectrometers by the Monte Carlo method  |
| Pavel Dryak, Petr Kovar and Jiri Suran   | 111 | Determination of corrections to true summations of photons for measurements in Marinelli beakers                                    |

Pierino De Felice, Paola Angelini, Aldo Fazio  
and Marco Capogni

- 117 A national campaign for coincidence-summing correction in  $\gamma$ -ray spectrometry

### Nuclear Decay Data

M. P. Unterweger

- 125 Half-life measurements at the National Institute of Standards and Technology

Hiroshi Miyahara, Nobuo Hayashi,  
Kazuo Fujiki, Norio Takeuchi  
and Yoshio Hino

- 131 Determination of the emission probabilities of the principal  $\gamma$ -rays for  $^{134}\text{Cs}$  to a high precision

José U. Delgado, Jean Morel  
and Michel Etcheverry

- 137 Measurements of photon emission probabilities from the decay of  $^{226}\text{Ra}$  and daughters

G. Wermann, D. Alber, W. Pritzkow,  
G. Riebe, J. Vogl and W. Görner

- 145 Determination of the  $\beta^-$  branching ratio of  $^{64}\text{Cu}$  by mass spectrometric investigations of the decay products in neutron transmuted copper

A. Grau Malonda and A. Grau Carles

- 153 Half-life determination of  $^{40}\text{K}$  by LSC

Estela M. O. Bernardes, José U. Delgado,  
Luiz Tauhata, Carlos J. da Silva,  
Akira Iwahara, Roberto Poledna  
and Anselmo S. Paschoa

- 157  $^{166\text{m}}\text{Ho}$ : a multi- $\gamma$  standard for the calibration of Ge spectrometers

Hiroshi Miyahara, Atsushi Yoshida,  
Gatot Wurdiant, Hideaki Nagata  
and Nada Marnada

- 163 Determination of precise gamma-ray emission probabilities for  $^{88}\text{Rb}$

Carlos J. da Silva, José U. Delgado  
Akira Iwahara, Luiz Tauhata,  
Roberto Poledna and Rex N. Alves

- 169 Absolute determination of activity per mass and half-life measurements of  $^{152}\text{Eu}$

A. Luca, S. Sepman, K. Iakovlev,  
G. Shchukin, M. Etcheverry and J. Morel

- 173 Emission probabilities of the KX-rays following the decay of  $^{237}\text{Np}$  in equilibrium with  $^{233}\text{Pa}$

Marie-Martine Bé, Eckart Schönfeld  
and Jean Morel

- 181 Evaluation of  $^{169}\text{Yb}$  decay data

V. M. Gorozhankin, N. Coursol,  
E. A. Yakushev, Ts. Vylov and C. Briançon

- 189 New features of the IC(4) code and comparison of internal conversion coefficient calculations

### Radionuclide Metrology Techniques

L. Johansson, G. Sibbens, T. Altitoglou  
and B. Denecke

- 199 Self-absorption correction in standardisation of  $^{204}\text{Tl}$

J. D. Keightley and G. C. Watt

- 205 Digital coincidence counting (DCC) and its use in the corrections for out-of-channel gamma events in  $4\pi\beta$ - $\gamma$  coincidence counting

E. García-Toraño, L. Rodríguez Barquero  
and M. Roteta

- 211 Standardization of  $^{134}\text{Cs}$  by three methods

E. Schönfeld, H. Janssen, R. Klein,  
J. C. Hardy, V. Iacob, M. Sanchez-Vega,  
H. C. Griffin and M. A. Ludington

- 215 Production of Co-60 sources for high-accuracy efficiency calibrations of gamma-ray spectrometers

R. Collé and B. E. Zimmerman

- 223 A dual-compensated cryogenic microcalorimeter for radioactivity standardizations

D. Stanga, J. L. Picolo, N. Coursol,  
K. Mitev and I. Moreau

- 231 Analytical calculations of counting losses in internal gas proportional counting

A. Švec and H. Schrader

- 237 Fitting methods for constructing energy-dependent efficiency curves and their application to ionization chamber measurements

E. Leblanc, P. de Marcillac, N. Coron,  
J. Leblanc, M. Loidl, J. F. Metge  
and J. Bouchard

- 245 A new absolute method for the standardization of radionuclides emitting low-energy radiation

Chun Guang Yan, Qi Lian, Wei Li and Jian zhong Ni	253	An improvement of uncertainty in activity standardization with efficiency tracer technique
Jyi-Lan Wu, Ming-Chen Yuan, Shi-Hwa Su and Wen-Son Hwang	261	The alpha and beta emitter measurement system in INER
Miroslav Havelka, Pavel Auerbach and Jana Sochorová	265	Software coincidence counting
J. Bouchard	269	A new set of electronic modules (NIM standard) for a coincidence system using the pulse mixing method
Tae Soon Park, Jong Man Lee and Han Yull Hwang	275	Standardization of $^{152}\text{Eu}$ and $^{88}\text{Y}$
A. Chyliński, T. Terlikowska-Drozdziel, T. Radoszewski and R. Broda	281	Multi-method of standardization of radionuclides with "triangular scheme" of disintegration

### Liquid Scintillation Counting Techniques

R. Broda, K. Maletka, T. Terlikowska and P. Cassette	285	Study of the influence of the LS-cocktail composition for the standardisation of radionuclides using the TDCR model
E. Günther	291	Determination of the $^{32}\text{P}$ activity in angioplastic balloons by LSC
G. García and A. Grau Malonda	295	The influence of stopping power on the ionisation quench factor
B. R. S. Simpson	301	Radioactivity standardization in South Africa
H.-Y. Hwang, J. H. Park, T. S. Park, J. M. Lee, Y. H. Cho, J. I. Byun, O. Choi, J.-S. Jun, M. H. Lee and C. W. Lee	307	Development of MCTS technique for 3-PM liquid scintillation counting

### Life Sciences

Brian E. Zimmerman, Jeffrey T. Cessna and Michael P. Unterweger	315	The standardization of $^{188}\text{W}/^{188}\text{Re}$ by $4\pi\beta$ liquid scintillation spectrometry with the CIEMAT/NIST $^3\text{H}$ -standard efficiency tracing method
M. Baker, G. A. Bass and M. J. Woods	321	Calibration of the NPL secondary standard radionuclide calibrator for $^{125}\text{I}$ seeds used for prostate brachytherapy
D. H. Woods, M. I. Baker, J. D. Keightley, L. J. Keightley, J. L. Makepeace, A. K. Pearce, A. P. Woodman, M. J. Woods, S. A. Woods and S. Waters	327	Standardisation of $^{11}\text{C}$
R. Collé	331	Activity characterization of pure- $\beta$ -emitting brachytherapy sources
Jeffrey T. Cessna	337	The measurement of activity contained in a $^{32}\text{P}$ stainless-steel stent by destructive assay
D. K. Tyler, M. Baker and M. J. Woods	343	NPL secondary standard radionuclide calibrator. Syringe calibration factors for radionuclides used in nuclear medicine
Maria Sahagia, Anamaria Cristina Razdolescu, E. L. Grigorescu, A. Luca and C. Ivan	349	Precise measurement of the activity of $^{186}\text{Re}$ , $^{188}\text{Re}$ radiopharmaceuticals
E. Günther	357	What can we expect from the CIEMAT/NIST method?
A. Iwahara, A. E. de Oliveira, L. Tauhata, C. J. da Silva, C. P. G. da Silva, A. M. S. Braghirolli and R. T. Lopes	361	Performance of dose calibrators in Brazilian hospitals for activity measurements

## Low Level Measurements

- L. R. Karam, L. Pibida and C. A. McMahon 369 Use of resonance ionization mass spectrometry for determination of Cs ratios in solid samples
- M. Schwaiger, F. Steger, T. Schroettner and C. Schmitzer 375 A ultra low level laboratory for nuclear test ban measurements
- Zhongyu Wu, Kenneth G. W. Inn, Zhichao Lin, Ciara A. McMahon and Lisa R. Karam 379 NIST radiochemistry intercomparison program: a summary of four-year performance evaluation study
- M. Köhler, W. Preuß, B. Gleisberg, I. Schäfer, T. Heinrich and B. Knobus 387 Comparison of methods for the analysis of  $^{226}\text{Ra}$  in water samples
- F. V. Tomé, M. P. Blanco Rodriguez and J. C. Lozano 393 Study of the representativity of uranium and thorium assays in soil and sediment samples by alpha spectrometry
- Peter N. Johnston, Mikael Hult and Timotheos Altitzoglou 399 Measurement of low levels of  $^{26}\text{Al}$  from meteorite samples
- Dirk Arnold, Stefan Neumaier and Octavian Sima 405 Deep underground gamma spectrometric measurement of  $^{26}\text{Al}$  in meteorite samples
- L. Tauhata, M. E. C. Vianna, A. E. de Oliveira, A. C. M. Ferreira and C. C. S. da Conceição 409 Metrological capability of the Brazilian laboratories of analyses of radionuclides in environmental samples

## Intercomparisons

- M. J. Woods, D. H. Woods, S. A. Woods, L. J. Husband, S. M. Jerome, C. Michotte, G. Ratel, M. Crespo, E. Garcia-Torano, L. Rodriguez, A. Luca, B. Denecke, G. Sibbens, J. Morel, M. Etcheverry, D. Santry, H. Janssen, E. Schönfeld and U. Schötzgig 415 Standardization and decay data of  $^{237}\text{Np}$
- Yoshio Hino 421 Results from APMP comparisons on radioactivity measurements of  $^{58}\text{Co}$ ,  $^{88}\text{Y}$  and  $^{166\text{m}}\text{Ho}$
- Ming-Chen Yuan, Jeng-Hung Lee and Wen-Song Hwang 429 The absolute counting of  $^{166\text{m}}\text{Ho}$ ,  $^{58}\text{Co}$  and  $^{88}\text{Y}$
- E. L. Grigorescu, Anamaria Cristina Razdolescu, Maria Sahagia, A. Luca, C. Ivan and G. Tanase 435 Standardization of  $^{152}\text{Eu}$
- Marina F. Koskinas, Kátia A. Fonseca and Mauro S. Dias 441 Disintegration rate measurement of a  $^{152}\text{Eu}$  solution
- T. Altitzoglou, B. Denecke, L. Johansson and G. Sibbens 447 Standardisation of  $^{89}\text{Sr}$  using three different methods
- T. E. Sazonova, A. E. Kochin, N. I. Karmalitsyn, S. V. Sepman, A. V. Zanevsky and T. I. Shilnikova 453 Standardization of  $^{204}\text{Tl}$  and  $^{89}\text{Sr}$  at VNIIM
- P. A. L. Cruz, J. S. Loureiro and E. M. O. Bernardes 457 Standardization of a  $^{89}\text{Sr}$  solution from a BIPM intercomparison using a liquid scintillation method
- Anamaria Cristina Razdolescu, Maria Sahagia, Ph. Cassette, E. L. Grigorescu, A. Luca and C. Ivan 461 Standardization of  $^{89}\text{Sr}$
- I. Csete, L. Szücs and A. Zsinka 467 Standardization of  $^{89}\text{Sr}$  at the National Office of Measures

## Number 3

Bert M. Coursey and David M. Taylor

471 Editorial

## Radiochemistry and Radionuclide Applications

Shizuko Ambe, Shigeko Sekido,  
Takuo Ozaki and Isamu Yamaguchi473 Uptake of trace elements by rice plants inoculated with *Pyricularia oryzae*

## Radiation Sources and Applications

Kuei-Hua Lin, Chao-Yuan Huang,  
Jao-Perng Lin and Tieh-Chi Chu

477 Surface dose with grids in electron beam radiation therapy

Shantanu Roy, Faical Larachi,  
M. H. Al-Dahhan and M. P. Duduković

485 Optimal design of radioactive particle tracking experiments for flow mapping in opaque multiphase reactors

## Technical note

Sung-Yen Lin, Tieh-Chi Chu,  
Jao-Perng Lin and Chao-Yuan Huang

505 Monte Carlo simulation of surface percent depth dose

## Synthesis of Labelled Compounds

Ralf Schirmmacher, Esther Nessler,  
Wilhelm Hamkens, Uta Eichhorn,  
Mathias Schreckenberger, Bernd Kaina  
and Frank Rösch511 An approach to the evaluation of the activity of the DNA repair enzyme O<sup>6</sup>-methylguanine-DNA-methyl-transferase in tumor tissue in vivo: syntheses of 6-benzyloxy-9-(2-[<sup>18</sup>F]fluoroethyl)-9H-purin-2-yl-amine and 6-benzyloxy-7-(2-[<sup>18</sup>F]fluoroethyl)-7H-purin-2-yl-amineK. Hamacher, Th. Hirschfelder  
and H. H. Coenen519 Electrochemical cell for separation of [<sup>18</sup>F]fluoride from irradiated <sup>18</sup>O-water and subsequent no carrier added nucleophilic fluorination

## Radioactivity and Radiation Measurements

Ronald O. Rahn, Henry M. Gerstenberg  
and Gerard A. Vavrina

525 Dosimetry of ionizing radiation using an iodide/iodate aqueous solution

P. P. Ember, T. Belgya and G. L. Molnár

513 Improvement of the capabilities of PGAA by coincidence techniques

Y. Kojima, M. Asai, M. Shibata,  
K. Kawade, A. Taniguchi, A. Osa,  
M. Koizumi and T. Sekine543 Decay scheme of <sup>126</sup>La isomers

A. A. Abdel-Fattah

557 Identification and dose assessment of irradiated cumen by EPR spectrometry

G. Pedroza, W. M. de Azevedo,  
H. J. Khoury and E. F. da Silva Jr.

563 Gamma ray detection using sol-gel Glass doped with lanthanide ions

## Technical note

R. J. Gehrke, J. D. Baker and C. L. Riddle

567 Feeding of the <sup>232</sup>Th levels from the decay of <sup>236</sup>U

## Events

569

## Number 4

## Radiochemistry and Radionuclide Applications

## Technical note

S. Banerjee, S. Lahiri, S.B. Manohar  
and A. Ramaswami571 Separation of <sup>48</sup>V and <sup>48,49</sup>Cr in <sup>7</sup>Li irradiated Sc<sub>2</sub>O<sub>3</sub> target by liquid-liquid extraction



### Radiation Sources and Applications

- A.E. Pillay 577  $^{252}\text{Cf}$ : the potential for activation analysis of selected medium-weight and heavy elements in the limited neutron flux of a partially depleted 50  $\mu\text{g}$  source
- Robert E. Wallace 581 Model 3500  $^{125}\text{I}$  brachytherapy source dosimetric characterization
- Ali S. Meigooni, Maung M. Yoe-Sein, Awni Y. Al-Otoom and Keith T. Sowards 589 Determination of the dosimetric characteristics of InterSource  $^{125}\text{I}$  Iodine brachytherapy source
- Ali Ishakoğlu and A. Filiz Baytaş 601 Measurement and evaluation of saturations for water, ethanol and a light non-aqueous phase liquid in a porous medium by gamma attenuation

### Radioactivity and Radiation Measurements

- J. Adam, A. Balabekyan, V.S. Pronskikh, V.G. Kalinnikov and J. Mrázek 607 Determination of the cross section for nuclear reactions in complex nuclear decay chains
- A. Endo, H. Noguchi, Su. Tanaka, Y. Kanda, Y. Oki, T. Iida, K. Sato and S. Tsuda 615 Particle size analysis of radioactive aerosols formed by irradiation of argon using 65 MeV quasi-monoenergetic neutrons
- Jiawei Sheng, Kohei Kadono, Yasushi Utagawa and Tetsuo Yazawa 621 X-ray irradiation on the soda-lime container glass
- H. Niu, L.G. Yuan, W.T. Chou, J.H. Liang and S.-C. Wu 627 A fast automatic RBS/w channeling system for damage depth profiling
- Technical note*
- Isabel García-Orellana and Manuel García-León 633 An easy method to determine  $^{210}\text{Po}$  and  $^{210}\text{Pb}$  by alpha spectrometry in marine environmental samples

### Nuclear Geophysics

- S. Bouhlassa and A. Aiachi 637 Groundwater dating with radiocarbon: application to an aquifer under semi-arid conditions in the south of Morocco (Guelmime)
- B. Zmazek, M. Živčič, J. Vaupotič, M. Bidovec, M. Poljak and I. Kobal 649 Soil radon monitoring in the Krško Basin, Slovenia

### Number 5

#### Radiochemistry and Radionuclide Applications

- Hiroyoshi Inoue 659 Transport of  $^{125}\text{I}$  and  $^{36}\text{Cl}$  across an anion-exchange paper membrane
- Gjermund Henriksen, Per Hoff and Roy H. Larsen 667 Evaluation of potential chelating agents for radium
- H. Herzog, L. Tellmann, S.M. Qaim, S. Spellerberg, A. Schmid and H.H. Coenen 673 PET quantitation and imaging of the non-pure positron-emitting iodine isotope  $^{124}\text{I}$
- Y. Albinsson, C. Ekberg, S. Holgersson, A.-M. Jakobsson, A. Lendgren and G. Skarnemark 681 A method for preparation and purification of  $^{234}\text{Th}$

### Radiation Sources and Applications

- S. Kastleiner, S.M. Qaim, F.M. Nortier, G. Blessing, T.N. van der Walt and H.H. Coenen 685 Excitation functions of  $^{85}\text{Rb}(\text{p},\text{xn})^{85\text{m,g},83,82,81}\text{Sr}$  reactions up to 100 MeV: integral tests of cross section data, comparison of production routes of  $^{83}\text{Sr}$  and thick target yield of  $^{82}\text{Sr}$
- Sun Oh Cho, Min Kim, Byung Cheol Lee, Young Uk Jeong, In-su Cha and Jeong-sik Choi 697 A compact low-energy electron beam irradiator



**Radioactivity and Radiation Measurements**

- K. Abbas, F. Simonelli, F. D'Alberti, M. Forte and M.F. Stroosnijder 703 Reliability of two calculation codes for efficiency calibrations of HPGe detectors
- C.J. Evans and Q.B. Mutamba 711 The use of associated particle timing based on the D + D reaction for imaging a solid object
- J.W. Mietelski, A.S. Baeza, J. Guillen, M. Buzinny, N. Tsigankov, P. Gaca, M. Jasińska and E. Tomankiewicz 717 Plutonium and other alpha emitters in mushrooms from Poland, Spain and Ukraine
- Gongping Li, Zhongsheng Pu, Xiangzhong Kong, Feng Zhang and Xuebin Zhu 731 Cross section measurements for (*n*, 3*n*) reactions induced by 14.8 Mev neutrons

**Nuclear Geophysics**

- Jianjun Shi, Jiangfeng Guo and Hui Chen 735 Dynamics of <sup>95</sup>Zr in the rice/water/soil system
- R.N. dos Santos, L.S. Marques and F.B. Ribeiro 741 Determination of uranium concentrations and activity ratios in silicates by alpha spectrometry: application to the volcanic rocks from the Trindade and Martin Vaz Islands (Brazil)
- Yukihisa Sanada, Takeshi Matsunaga, Nobuyuki Yanase, Seiya Nagao, Hikaru Amano, Hideshige Takada and Yuri Tkachenko 751 Accumulation and potential dissolution of Chernobyl-derived radionuclides in river bottom sediment

**Number 6***Editorial*

- David M. Taylor 763 A moral and legal obligation

**Radiochemistry and Radionuclide Applications**

- X.K. Wang, W.M. Dong, G. Wang and Z.Y. Tao 765 Sorption and desorption of Co(II) on alumina: mechanisms and effect of humic substances
- H. Rodig, P. Brust, J. Römer, H. Kasch, R. Bergmann, F. Fuchtnier, J. Steinbach and B. Johannsen 773 Distribution of estrone sulfatase in rat brain determined by in vitro autoradiography with 16 $\alpha$ -[<sup>18</sup>F]fluoroestradiol-3,17 $\beta$ -disulfamate
- Vladimir Zaichick and Margaret Tzaphlidou 781 Determination of calcium, phosphorus, and the calcium/phosphorus ratio in cortical bone from the human femoral neck by neutron activation analysis

**Radiation Sources and Applications**

- P. Oropesa, R. Serra, S. Gutiérrez and A.T. Hernández 787 A procedure for the standardization of gamma reference sources for quality assurance in activity measurements of radiopharmaceuticals
- Gulten Atun, Binay Bilgin and Ayben Kilislioglu 797 Kinetics of isotopic exchange between strontium polymolybdate and strontium ions in aqueous solution
- Ruqing Wang and Ron S. Sloboda 805 Monte Carlo dose parameters of the BrachySeed model LS-I <sup>125</sup>I brachytherapy source
- S.S. Ishchenko, I.P. Vorona, S.M. Okulov and N.P. Baran 815 <sup>13</sup>C hyperfine interactions of CO<sub>2</sub> in irradiated tooth enamel as studied by EPR

- |  |     |   |
|--|-----|---|
| S. Sudár, F. Cserpák and S.M. Qaim                                       | 821 | Measurements and nuclear model calculations on proton-induced reactions on $^{103}\text{Rh}$ up to 40 MeV: evaluation of the excitation function of the $^{103}\text{Rh}(p,n)^{103}\text{Pd}$ reaction relevant to the production of the therapeutic radionuclide $^{103}\text{Pd}$ |
| G. Cicognani, E. Escoffier, G.M. Guadalupi, L. Pallottini and M. Rogante | 833 | Investigation by $\gamma$ -ray diffraction of the crystalline quality of GaAs and InP single crystals   |
| M. Maučec and R.J. de Meijer   | 837 | Monte Carlo simulations as a feasibility tool for non-metallic land-mine detection by thermal-neutron backscattering  |

### Synthesis of Labelled Compounds

- |   |     |  |  |
|---|-----|--|--|
| S. Comagic, M. Piel, R. Schirmacher, S. Höhnemann and F. Rösch  | 847 | Efficient synthesis of 2-bromo-1- $^{18}\text{F}$ fluoroethane and its application in the automated preparation of $^{18}\text{F}$ -fluoroethylated compounds                                |  |
| Hueisch-Jy Ding, Yu-Chien Shiau, Shih-Chuan Tsai, Jhi-Joung Wang, Shung-Tai Ho and Albert Kao           | 853 | Uptake of $^{99\text{m}}\text{Tc}$ tetrofosmin in lymphoma cell lines: a comparative study with $^{99\text{m}}\text{Tc}$ sestamibi   |  |
| JunBo Zhang, XueBin Wang and ChunYun Li   | 857 | Synthesis and biodistribution of a new $^{99\text{m}}\text{Tc}$ nitrido complex as a potential myocardial and cerebral imaging agent   |  |
| Mythili A. Majali, Mita Chatterjee Debnath, S.K. Saxena and Sangeeta H. Joshi                           | 863 | Preparation and evaluation of [ $^{166}\text{Ho}$ ] holmium-dimethyl diethylene-triaminepentaaceticacid (DMDTPA) as potential radiopharmaceutical for endo-vascular radiation therapy (EVRT) |  |
| <i>Technical note</i><br>C. Mosdzianowski, C. Lemaire, F. Simoens, J. Aerts, J.-L. Morelle and A. Luxen |     | 871  | Epimerization study on [ $^{18}\text{F}$ ]FDG produced by an alkaline hydrolysis on solid support under stringent conditions |

### Radioactivity and Radiation Measurements

- |   |     |   |
|---|-----|---|
| Shengyao Ding, Kun Xu and Hongyan Wang  | 877 | The yields, branching ratios and angular distributions of 6–7 MeV photons produced in the $^{19}\text{F}(p,\alpha\gamma)^{16}\text{O}$ reaction |
| R. Sivakumar, S. Selvasekarapandian, N. Mugunthamanikandan and V.M. Raghunath   | 883 | Indoor gamma dose measurements in Gudalore (India) using TLD  |
| P.G. Benny and B.C. Bhatt   | 891 | High-level gamma dosimetry using phototransferred thermoluminescence in quartz  |
| S.Å.J. Bäck, M. Lepage and C. Baldock   | 895 | Investigation of the NMR relaxation rate dose-response of a ceric sulphate dosimeter  |
| Wei-Li Chen   | 901 | Radiation surveys and dose equivalent assessments for $^{60}\text{Co}$ -contaminated rebar buildings  |
| Michael F. L'Annunziata and Charles J. Passo Jr.  | 907 | Cherenkov counting of yttrium-90 in the dry state; correlations with phosphorus-32 Cherenkov counting data                                      |
| Vitaly Nagy, Sergey V. Sholom, Vadim V. Chumak and Marc F. Desrosiers   | 917 | Uncertainties in alanine dosimetry in the therapeutic dose range  |
| J.I. Dávila Rangel, H. López del Río, F. Mireles García, L.L. Quirino Torres, M.L. Villalba, L. Colmenero Sujo and M.E. Montero Cabrera | 931 | Radioactivity in bottled waters sold in Mexico  |
| W.V. Nunes, A.X. da Silva, V.R. Crispim and R. Schirru  | 937 | Explosives detection using prompt-gamma neutron activation and neural networks  |
| I.F. Gonçalves, E. Martinho and J. Salgado  | 945 | Monte Carlo calculation of epithermal neutron resonance self-shielding factors in foils of different materials                                  |

V.S.Y. Koo, C.W.Y. Yip, J.P.Y. Ho,  
D. Nikezic and K.N. Yu

*Technical note*

A.C. Razdolescu, M. Sahagia, A. Luca, S. Bercea,  
C. Dumitrescu and H. Schrader

953 Sensitivity of LR115 detector in diffusion chamber to  $^{222}\text{Rn}$  in the presence of  $^{220}\text{Rn}$

957 Results obtained in the metrological certification of a commercially available radionuclide calibrator

### Nuclear Geophysics

Dong Wenming, Zhang Hongxia, Huang Meide  
and Tao Zuyi

959 Use of the ion exchange method for the determination of stability constants of trivalent metal complexes with humic and fulvic acids—Part I:  $\text{Eu}^{3+}$  and  $\text{Am}^{3+}$  complexes in weakly acidic conditions

Dong Wenming, Li Weijuan and Tao Zuyi

967 Use of the ion exchange method for the determination of stability constants of trivalent metal complexes with humic and fulvic acids II.  $\text{Tb}^{3+}$ ,  $\text{Yb}^{3+}$  and  $\text{Gd}^{3+}$  complexes in weakly alkaline conditions

Prem S.M. Tripathi, Kamlesh K. Mishra,  
Rajiv R.P. Roy and Dina N. Tewary

975 Investigations on desulphurisation of some high-sulphur Indian coals by  $\gamma$ -ray-induced chlorinolysis

N. Khalil, M.A. Misdaq, S. Berrazzouk  
and J. Mania

985 Characterization of the Oum Er Rbia (Morocco) high basin karstic water sources by using solid state nuclear track detectors and radon as a natural tracer

H.R. Saad and D. Al-Azmi

991 Radioactivity concentrations in sediments and their correlation to the coastal structure in Kuwait

*Book reviews*

K. Debertin

999 Practical applications of radioactivity and nuclear radiations

David M. Taylor

999 Plutonium in the environment, radioactivity in the environment, Vol. 1

David M. Taylor

1001 Publications received

*Events*

1003



